



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

646.3015

Job Sheet 207906



Part No: 646.3015

Job Qty: 20 pcs

Part Name: Blade



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 3/6/20

Job Tracking No:

Created By: Marie Lajeunesse

Due Date: 3/20/20

Description:

Note: DWG REV N/C SHEET 12 IPP REV:A NEW ISSUE 12/11/09 JFS VERIFY BY: JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Bandsaw - 1	20 pcs		3/20/20	0.00	0.31	Bandsaw - 1		J.C.L. 20-03-07
110	HAAS 4 Axis - B4B	20 pcs		3/20/20	0.18	25.09	HAAS - 1 - B4B		
							HAAS - 2 - B4B		
							HAAS - 3 - B4B		
							HAAS - 4 - B4B		
							NV5000 - 1 - B4B		J.C.L. 20-03-08
120	QC 2	20 pcs		3/20/20	0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		J.C.L. 20-03-08
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		



Container No: S261575



Part: 646.3015

Job No: 207906

Serial No/Batch: S261575

Revision: Rev NC

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 03/07/20

Plex 3/6/20 7:55 AM Dart.lajeunesse.marie

				QC 2 - 62	
				QC 2 - 63	
				QC 2 - 8	
				QC 2 - 66	
				QC 2 - 64	
				QC 2 - 65	
				QC 2 - 5	
				QC 2 - 71	
				QC 2 - 73	
				QC 2 - 69	
				QC 2 - 76	
				QC 2 - 86	
130	QC 8	20 pcs	3/20/20 0.00 0.00	QC 8 - 12	
				QC 8 - 14	
				QC 8 - 17	
				QC 8 - 20	17 20-03-12
				QC 8 - 25	
				QC 8 - 3	
				QC 8 - 32	
				QC 8 - 33	
				QC 8 - 35	
				QC 8 - 39	
				QC 8 - 4	
				QC 8 - 44	
				QC 8 - 45	
				QC 8 - 49	
				QC 8 - 58	
				QC 8 - 8	
				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
				QC 8 - 40	
				QC 8 - 52	
				QC 8 - 23	
				QC 8 - 57	
				QC 8 - 76	
				QC 8 - 61	
140	Outsource - 1 - Heat Treat	20 pcs	3/20/20	MEI001-VC	15 17 2020-03-18
150	Packaging 2-1 - Receive - B4B	20 pcs	3/20/20 0.00 0.00	Packaging 2 - 1 - B4B	
				Packaging 2 - 2 - B4B	
				Packaging 2 - 3 - B4B	
				Packaging 2 - 5 - B4B	17 2020-03-18
				Packaging 2 - 4 - B4B	MAR 31 2020
				Packaging 2 - 6 - B4B	
				Packaging 2 - 7 - B4B	
				Packaging 2 - 8 - B4B	
				Packaging 2 - 9 - B4B	
				Packaging 2 - 10 - B4B	
				Packaging 2 - 11 - B4B	
				Packaging 2 - 12 - B4B	
				Packaging 2 - 13 - B4B	
				Packaging 2 - 14 - B4B	

					Packaging 2 - 15 - B4B	
					Packaging 2 - 16 - B4B	
					Packaging 2 - 17 - B4B	
					Packaging 2 - 18 - B4B	
					Packaging 2 - 19 - B4B	
					Packaging 2 - 20 - B4B	
					Packaging 2 - 21 - B4B	
					Packaging 2 - 22 - B4B	
					Packaging 2 - 23 - B4B	
					Packaging 2 - 24 - B4B	
					Packaging 2 - 25 - B4B	
					Packaging 2 - 26 - B4B	
					Packaging 2 - 27 - B4B	
					Packaging 2 - 28 - B4B	
					Packaging 2 - 29 - B4B	
					Packaging 2 - 30 - B4B	
					Packaging 2 - 31 - B4B	
					Packaging 2 - 32 - B4B	
					Packaging 2 - 33 - B4B	
					Packaging 2 - 34 - B4B	
					Packaging 2 - 35 - B4B	
					Packaging 2 - 36 - B4B	
					Packaging 2 - 37 - B4B	
155 QC 6	20 pcs	3/20/20	0.00 0.00	QC 6 - 9		
				QC 6 - 68		
				QC 6 - 61	APR 16 2020	
				QC 6 - 40	DAS	
				QC 6 - 81	81	
160 Spray Paint - 2 - B4B	20 pcs	3/20/20	0.00 0.65	Spray Paint - 1 - B4B9	DAS	
				Spray Paint - 2 - B4B	87 MAY 14 2020	
				Spray Paint - 3 - B4B	9-89	
				Spray Paint - 4 - B4B		
162 QC 14	20 pcs	3/20/20	0.00 0.00	QC 14 - 15		
				QC 14 - 2		
				QC 14 - 34		
				QC 14 - 41		
				QC 14 - 51		
				QC 14 - 58		
				QC 14 - 59		
				QC 14 - 9		
				Plex 3/6/20 7:55 AM	Dart.lajeunesse.marie	

DAS

MAY 14 2020

40

9-89

180 Packaging 3-1 - Stock - B4B

20
pcs

3/20/20

0.00 0.00

QC 14 - 68

QC 14 - 40

QC 14 - 19

QC 14 - 43

QC 14 - 24

QC 14 - 61

QC 14 - 81

QC 14 - 82

Packaging 3 - 1 - B4B

Packaging 3 - 2 - B4B

Packaging 3 - 3 - B4B

Packaging 3 - 4 - B4B

Packaging 3 - 5 - B4B

Packaging 3 - 6 - B4B

Packaging 3 - 7 - B4B

Packaging 3 - 8 - B4B

Packaging 3 - 9 - B4B

Packaging 3 - 10 -
B4BPackaging 3 - 11 -
B4BPackaging 3 - 12 -
B4BPackaging 3 - 13 -
B4BPackaging 3 - 14 -
B4BPackaging 3 - 15 -
B4BPackaging 3 - 16 -
B4BPackaging 3 - 17 -
B4BPackaging 3 - 18 -
B4BPackaging 3 - 19 -
B4BPackaging 3 - 20 -
B4BPackaging 3 - 21 -
B4BPackaging 3 - 22 -
B4BPackaging 3 - 23 -
B4BPackaging 3 - 24 -
B4BPackaging 3 - 25 -
B4BPackaging 3 - 26 -
B4BPackaging 3 - 27 -
B4BPackaging 3 - 28 -
B4BPackaging 3 - 29 -
B4BPackaging 3 - 30 -
B4BPackaging 3 - 31 -
B4BPackaging 3 - 32 -
B4B

DAS

84

9-89

CCH102

					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
					Packaging 3 - 37 - B4B	
190 QC 21 - SA	20 pcs	3/20/20	0.00	0.00	QC 21 - SA - 21	MAY 19 2020 DAS 70 9-89
					QC 21 - SA - 70	
					QC 21 - SA - 53	

Part Op 100 - Cut Blank at 6.580"

Descriptions: 110 - 1-Machine per folio FB150

120 - (QC2- Inspect parts off machine FAI/FAIB)

130 - (QC8- Inspect parts - second check)

140 - FINISH: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS As per dwg 646.3000 PART ARE MADE FROM AISI A2 TOOL STEEL DETAIL OF C OF C REQUIRED

150 - (Receive & Inspect for Damage & Mat'l Certs)

155 - (QC6- All purchased or subcontracted products)

160 - (Spray Paint / NDT Room) PRIME AS PER DWG, SEE NOTE #4 5265778

162 - (QC14- Inspect Spray Paint)

180 - (Identify as per dwg & Stock Location: _____) ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***

190 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
MSTEEL-A2-B0.500X1.250	AISI A2 Tool Steel Bar, 0.500 X 1.250	10.9000 ft (.545 ea)	100-Bandsaw - 1	5257 174

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Bandsaw - 1	MSTEEL-A2-B0.500X1.250	11	50	0

Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Blade	0.375inches $\pm$ 0.005	0.380 0.370		375
2	Blade	0.177inches $\pm$ 0.005 - 0.000	0.182 0.177	Diameter	178
3	Blade	0.940inches $\pm$ 0.010	0.950 0.930		939
4	Blade	0.524inches $\pm$ 0.005	0.529 0.519		524
5	Blade	0.240inches $\pm$ 0.020	0.260 0.220		240
6	Blade	0.125inches $\pm$ 0.005	0.130 0.120	Radius	125
7	Blade	45.000Degrees $\pm$ 0.500	45.500 44.500		45
8	Blade	0.524inches $\pm$ 0.005	0.529 0.519		524
9	Blade	0.690inches $\pm$ 0.002	0.692 0.688		0.691
10	Blade	1.250inches $\pm$ 0.002	1.252 1.248		1.252
11	Blade	4.684inches $\pm$ 0.005	4.689 4.679		4.684
12	Blade	6.450inches $\pm$ 0.010	6.460 6.440		4.485
13	Blade	0.325inches $\pm$ 0.005	0.330 0.320		325
14	Blade	30.000Degrees $\pm$ 0.500	30.500 29.500		30

Plex 3/6/20 7:55 AM Dart.lajeunesse.marie

Entered: _____

Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION			DEPARTMENT/PROCESS																																																													
		Rework ☐ Scrap ☐ Use-as-is ☐			Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																																																													
Date: _____	Sequence #: _____	QTY Affected: _____		MRB (QS1042)																																																														
Description Work Order Deviation		Disposition																																																																
Root Cause <table border="1"><tr><td>Operator</td><td>☐</td></tr><tr><td>Manufacturing Process</td><td>☐</td></tr><tr><td>Equip/Tooling</td><td>☐</td></tr><tr><td>Handling/Preservation</td><td>☐</td></tr><tr><td>Material</td><td>☐</td></tr><tr><td>Product Improvement</td><td>☐</td></tr><tr><td>Process Improvement</td><td>☐</td></tr><tr><td>Human Factors</td><td>☐</td></tr></table>		Operator	☐	Manufacturing Process	☐	Equip/Tooling	☐	Handling/Preservation	☐	Material	☐	Product Improvement	☐	Process Improvement	☐	Human Factors	☐	FAULT CATEGORY <table border="1"><tr><td>Contamination</td><td>☐</td><td>Power Loss/Surge</td><td>☐</td><td>Positioned Wrong</td><td>☐</td></tr><tr><td>Misaligned/off center</td><td>☐</td><td>Folio/Program</td><td>☐</td><td>Outside Tolerance</td><td>☐</td></tr><tr><td>BOM/Route</td><td>☐</td><td>Grain Direction</td><td>☐</td><td>Drawing</td><td>☐</td></tr><tr><td>Broken/Damage/Defect</td><td>☐</td><td>Weld</td><td>☐</td><td>Finish</td><td>☐</td></tr><tr><td>Incomplete/Unclear Instructions</td><td>☐</td><td>Wrong Stock Pulled</td><td>☐</td><td>Part Lost/Missing</td><td>☐</td></tr><tr><td>Drill Holes</td><td>☐</td><td>Out of Sequence</td><td>☐</td><td>Misread</td><td>☐</td></tr><tr><td>Fit/Function</td><td>☐</td><td>Off-set/Set-up</td><td>☐</td><td></td><td></td></tr></table>							Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐	Fit/Function	☐	Off-set/Set-up	☐		
		Operator	☐																																																															
		Manufacturing Process	☐																																																															
		Equip/Tooling	☐																																																															
Handling/Preservation	☐																																																																	
Material	☐																																																																	
Product Improvement	☐																																																																	
Process Improvement	☐																																																																	
Human Factors	☐																																																																	
Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																													
Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐																																																													
BOM/Route	☐	Grain Direction	☐	Drawing	☐																																																													
Broken/Damage/Defect	☐	Weld	☐	Finish	☐																																																													
Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																													
Drill Holes	☐	Out of Sequence	☐	Misread	☐																																																													
Fit/Function	☐	Off-set/Set-up	☐																																																															
Other/Details: _____																																																																		
Completed By		Lead hand / Supervisor																																																																
		QC / QA Coordinator																																																																



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB046144



Supplier: MEI001-VC
Metcor Inc.
560 Boul. Arthur Sauve
Saint-Eustache
QC
J7R 5A8 Canada
Phone: 450 473 1884
Fax: 450 491 5498

Attention: Bejenaru, Livia

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB046144

PO Date: 3/18/20

Due Date: 4/7/20

**Purchase Order
Revision:**

Revision Date:

Issued By: Guerin, Kimberley
Phone: 613-632-5200 Ext: 298
kguerin@dartaero.com

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

E-MAILED
2020-03-20

Items

Line Item	Job	Part	Drawing	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	207907	646.9711	646.9700 Rev H	Blade : Various STC's (Outsource process - Heat Treat) PO to Metcor: FINISH: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS PART ARE MADE FROM AISI A2 TOOL STEEL PLEASE NOTE: DETAIL C OF C REQUIRED	Firmed X40	-	4/7/20	40 pcs	0 pcs	40 pcs	\$5.5833/pcs	\$223.33

MAR 31 2020



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB046144



Items

Line Item	Job	Part	Drawing	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
2	207906	646.3015	646.3000 Rev NC	Blade : Various STC's FINISH: HEAT TREAT TO 58-62 RC ROCKWELL HARDNESS As per dwg 646.3000 PART ARE MADE FROM AISI A2 TOOL STEEL DETAIL OF C OF C REQUIRED	Firmed <i>X 70</i>	-	4/7/20	20 pcs	0 pcs	20 pcs	\$5.5833/pcs	\$111.67
Grand Total:												\$335.00

Order Notes

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 3/20/20 4:21 PM Dart.Guerin.Kimberley

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ
ST-EUSTACHE, QC J7R 5A8
Tel: 450-473-1884 / Fax: 450-491-5498

Reçu de livraison

Delivery Receipt

BON DE TRAVAIL Order	EXPÉDITEUR Shipper ID	BON D'EXPÉDITION Shipper
343874	1	144596
EXPÉDITION COMPLÈTE / Shipped Complete		

CLIENT / Customer 215

DART AEROSPACE

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053



LIVRÉ À / Shipped To

DART AEROSPACE

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
Ph: 613-632-5200
Fax: 613-632-1053

COMMANDE DU CLIENT Customer PO	BON DE LIVRAISON DU CLIENT Customer Shipper No.	TYPE DE MATÉRIEL Material Type	DATE DE LA COMMANDE Order Date	TRANSPORTEUR Carrier
HB046144		A2	2020/3/18	CLIENT

QUANTITÉ Quantity	No. PIÈCE Part No.	NOM DE LA PIÈCE Part Name	DESCRIPTION DE LA PIÈCE Part Description	POIDS Weight
----------------------	-----------------------	------------------------------	---	-----------------

60 646.9711 ✓
(40) 646.9711
JOB 207907

(20) 646.3015 ✓
JOB 207906

2 BC EPS

TYPE DE CONTENEUR Container Type	# DE CONTENEURS # Of Containers	COMMENTAIRES CONTENEUR Container Comments
BC EPS	2	

CERTIFICAT

EXPÉDIÉ PAR: Shipped by:	
-----------------------------	--

QUANTITÉ EXPÉDIÉE / Quantity Shipped : 60

POIDS EXPÉDIÉ / Weight Shipped : 20,00

QUANTITÉ RESTANTE / Quantity Remaining : 0

POIDS RESTANT / Weight Remaining : 0,00

Fax: 7701-2060-5774

RECEIVED
MAR 30 2020

RECEIVED

MAR 30 2020

CERTIFICAT

DART AEROSPACE LTD.

QUANTITÉ EXPÉDIÉE / Quantity Shipped: 60

POIDS EXPÉDIÉ / Weight Shipped : 20,00

Signature:

Date:

EXPÉDIÉ LE / Shipped On : 2020/03/23

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité Détaillé

Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
343874	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

1

COMMANDE DU CLIENT customer po	CLASSIFICATION PIECE part classification	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
HB046144	N/A	A2		
SPÉCIFICATIONS DU PROCÉDÉ processing specifications				
VAC HARDEN				
HARDEN AND TEMPER				
EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results	
HARDNESS	58 - 62 HRC	5 (907)	60 - 61 HRC	

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
60	20	646.9711 (40) 646.9711 JOB 207907 (20) 646.3015 JOB 207906 2 BC EPS

RECEIVED

MAR 30 2020

DART AEROSPACE LTD.

COMMENTAIRES / comments

VAC HARDEN 1800°F - 1:40 HRS
DOUBLE TEMPER 400°F - 2:00 HRS

Heat treatment (HT) was performed with equipment that meets the requirements of requested specification. All HT operations were performed in compliance with the required HT specification and all verifications have been performed and documented. No unauthorized changes were performed in regards to the HT. We certify that the material was manufactured, sampled, tested and inspected in accordance with the material specification and the purchase order and was found to meet the requirements.

This document and any attached documents may contain confidential or proprietary information and may be subject to export control laws and regulations. If you are not the intended recipient, you are notified that any dissemination, copying of this e-mail and any attachments thereto or use of their contents by any means whatsoever is strictly prohibited. Unauthorized export or re-export is prohibited.

Le traitement thermique (TT) a été fait en utilisant des équipements en conformité avec la spécification demandée. Toutes les opérations de TT ont été faites en conformité avec les requis de la spécification demandée et toutes les

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité Détaillé

Detailed Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
343874	1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K6A 1K7

1

vérifications et les tests demandés ont été faites et documentés. Aucun changement n'a été faite par rapport au TT. On certifie que le matériel a été fabriqué, échantillonné, testé et inspecté en accord avec les spécifications du matériel et le bon de commande et le matériel rencontre les exigences spécifiées.

Ce document et les documents qui lui sont joints peuvent contenir des informations confidentielles, être soumis aux réglementations relatives au contrôle des exportations ou ayant un caractère privé. S'ils ne vous sont pas destinés, nous vous signalons qu'il est strictement interdit de les divulguer, de les reproduire ou d'en utiliser de quelque manière que ce soit le contenu. Toute exportation ou réexportation non autorisée est interdite.

APPROUVÉ par / Approved by:

DATE: 2020-03-27

Lucie Desmarais
QA Technician



METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité

Certificate of Compliance

BON DE TRAVAIL
order

343874

CHARGEMENT
load

1

CLIENT / customer 215

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

LIVRÉ À / shipped to:

DART AEROSPACE

1270 ABERDEEN

HAWKESBURY

ON K8A 1K7

1

COMMANDE DU CLIENT customer po	CLASSIFICATION PIECE part classification	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
HB046144	N/A	A2		

SPÉCIFICATIONS DU PROCÉDÉ

processing specifications

VAC HARDEN

HARDEN AND TEMPER

EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
HARDNESS	58 - 62 HRC	DAS 81 9-89	5 (907) 60 - 61 HRC

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
60	20	646.9711 (40) 646.9711 JOB 207907 (20) 646.3015 JOB 207906 2 BC EPS

30/3/20

COMMENTAIRES / comments

APPROUVÉ par / Approved by:



DATE: 2020-03-22

APPROUVÉ
